OTP E CONTROL OF THE PROPERTY OF THE PROPERTY

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 of 3

	Complete If Known	•
Application Number	10/632,662	_
Filing Date	August 1, 2003	_
First Named Inventor	Staple, Bevan	_
Art Unit		
Examiner Name		
Attorney Docket Number	019930-003110US	_

		T	U.S. PATENT DO	CUMENTS+	
		Document Number			
Examiner Initials*	Cite No.	Number Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentes or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
MC_	A1	US-4,330,175	05-18-1982	Yohji Fujii et al.	The state of the s
MC	A2	US-4,733,945	03-29-1988	Bacich	1
ለረ_	A3	US-5,081,049	10-29-1991	Hombeck	
mc.	A4	US-6,117,311	05-26-1992	Nomura	
\mathbf{n}	A5	US-5,212,582	05-18-1993	William E. Nelson	
MC.	A6	US-5,279,924	01-18-1994	Keiji Sakai et al.	<u> </u>
mo	A7	US-5,392,151	02-21-1995	Nelson	
MC	A8	US-5,414,540	05-09-1995	Patel et al.	
MC.	A9	US-5,493,452	02-20-1998	Hoshino et al.	
MC	A10	US-5,523,878	08-04-1996	Wallace et al.	
MC	A11	US-5,600,383	02-04-1997	Larry J. Hombeck	
M	A12	US-5,602,671	02-11-1997	Hombeck	
MC	A13	US-5,757,559	05-26-1998	Nomura et al.	
MC	A14	US-5,768,649	06-16-1998	Pearson	
nc	A15	US-5,867,302	02-02-1999	Fleming	
MC	A16	US-5,886,811	03-23-1999	Min	
m	A17	US-5,917,625	08-29-1999	Ogusu et al.	
MC	A18	US-5,960,133	09-28-1999	Tomtinson	
MC	A19	US-5,991,066	11-23-1999	Robinson et al.	+ + - +
MU	A20	US-5,999,288	12-07-1999	Georgios Nicos Ellinas et al.	-
MC	A21	US-5,999,672	12-07-1999	Hunter et al.	
MC	A22	US-6,028,689	02-22-2000	Michalicek et al.	
nc.	A23	US-6,040,935	03-21-2000		
W.	A24	US-6,052,232	04-18-2000	Michalicek	
W.	A25	US-6,097,519	08-01-2000	İkawa	+
N8.	A26	US-6,097,859	08-01-2000	Ford	+
MY.	A27	US-6,097,863	08-01-2000	Solgaard Dipakbin Qasem Chowdhury	+
M	A28	US-6,108,471	08-22-2000		+
** **	A29 ·	US-6,128,122		Zhang et al.	+
70	A30	US-6.147.790	10-03-2000 11-14-2000	Drake et al.	+
nc2	A31	US-6,220,581 B1	04-24-2001	Meier et al.	
ne	A32	US-6,263,127 B1	07-17-2001		+
W.	A33	US-8,307,657 B1	10-23-2001	Dragone et al.	
mc.	A34	US-6.449.096 B1	09-10-2002	Joseph Earl Ford	+
ne	A35	US-8,480,320 B2	11-02-2002	Fabiny et al.	+
4 /-	A36			Nesiri	· ·
7	A37	US-8,501,877 B1	12-31-2002	Weverka et al.	
NC.	A38	US-6,535,318 B2 US-6,542,653 B2	03-18-2003	Buzzetta et al.	<u> </u>
117 	A39	US-8,614,581 B2	04-01-2003 09-02-2003	Wu et al. Anderson	

Examiner Signature	Mishelle R. Comello Curtura Date Considered	3/4/04
		1 0/ 110

EXAMINER: Initial if reference considered, whether or not clation is in conformance with MPEP 609, Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). Kind Codes of U.S. Patent Documents at www.usnto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (08-03)

OIPE 6 2003

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of 3

Complete if Known			
Application Number	10/632,662		
Filing Date	August 1, 2003		
First Named Inventor	Staple, Bevan		
Art Unit			
Examiner Name			
Attorney Docket Number	019930-003110US		

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²	
mc	C1	AKIYAMA, T. et al.; "Controlled Stepwise Motion in Polysilicon Microstructures," Journal of Microelectromechanical Systems, Vol. 2, No. 3, September 1993; pp.106-110		
MC	C2	ASHRUF, C.M.A. et al., "Galvanic porous silicon formation without external contacts," Sensors and Actuators 74 (1999) pp. 118-122		
mc	C3	BEAN, KENNETH et al., "Anisotropic Etching of Silicon," IEEE Transactions on Electron Devices, Vol. Ed-25, No. 10, October 1978		
mc	C4	CIARLO, DINO R. "A latching accelerometer fabricated by the anisotropic etching of (110) oriented silicon wafers," Lawrence Livermore Nat'l Laboratory, March 1, 1992		
mc	C5	DEWA, A.S. et al., "Development of a Silicon Two-Axis Micromirror for an Optical CrossConnect," Solid State Sensors and Actuators Workshop, Hilton Head, South Carolina, pp. 93-98		
mc	C6	FORD, JOSEPH et al., "Wavelength Add Drop Switching Using Tilting Micromirrors," Journal of Lightwave Technology, Vol. 17, No. 5, May 1999		
mc	C7	GRADE, J. et al., "A Large-Deflection Electrostatic Actuator for Optical Switching Applications, Solid-State Sensor and Actuator Workshop, Hilton Head Island, South Carolina, June 4-8, 2000; pp. 97-100		
MC	C8	GRAF, U.U. et al., Fabrication and Evaluation Of An Etched Infrared Diffraction Grating, Applied Optics, January 1, 1994, Vol. 33, No. 1, pgs. 96-102.		
mc	C9	HOPKINS, ROBERT E., Some Thoughts On Lens Mounting, Optical Engineering, September-October 1976, Vol. 15, No. 5, pgs. 428-430.		
mc	C10	KAAJAKARI, V. et al.; "Ultrasonic Actuation for MEMS Dormancy-Related Stiction Reduction," In MEMS Reliability for Critical Applications, Proceedings of SAPIE Vol. 4180 (2000); pp. 60-65		
mc	C11	KELLER, C. Dissertation entitled: Microfabricated Silicon High Aspect Ratio Flexures for In-Plane Motion, Fall 1998		
mc	C12	KELLER, LUKE D. et al., Fabrication And Testing Of Chemically Micromachined Silicon Echelle Gratings, Applied Optics, March 1, 2000, Vol. 39, No. 7, pgs. 1094-1105.		
mc	C13	KOCH, T.L. et al., "Anisotropically etched deep gratings for inP/InGaAsP optical devices," J.App. Phys. 62 (8), 15 October 1987		
mc	C14	LOEWEN, ERWIN G. et al., Diffraction Gratings and Applications, Marcel Dekker, Inc., New York - Basel, Chapter 4, pgs. 132-136 and Chapter 8 pgs. 300-301.		
mc	°C15	MULLER, L. Dissertation entitled: Gimballed Electrostatic Microactuators with Embedded Interconnects, Spring 2000		
mc	C16	NISHI, I. et al., "Broad-Passband-Width Optical Filter for Multi-Demultiplexer Using a Diffraction Grating and a Retroreflector Prism," Electronics Letters, Vol. 21, No. 10, 9 th May 1985		

Examiner Signature	Whitell R Convely Curture	Date Considered	3/4/00
EVALUATED. L.W.			

EXAMINER: Initial if reference considered, whether or not criation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here If English language Translation is attached.

PTO/SB/08B (08-03) OCT 0 6 2003 Substitute for to 14498/PTO Complete If Known Application Number 10/632,662 Filing Date August 1, 2003 STATEMENT BY APPLICANT First Named Inventor Staple, Bevan Art Unit (use as many sheets as necessary) Examiner Name Sheet Attorney Docket Number 019930-003110US

NON DATENT LITERATURE ROOMSENED				
Examiner Initials *	Cite No.1	NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), votume-issue number(s), publisher, city and/or country where published.	T ²	
m	C17	PHILLIPPE, P. et al., "Wavelength demultiplexer: using echelette gratings on silicon substrate," Applied Optics, Vol. 24, No. 7, 1 April 1985		
2	C18	RALLISON, R. D., White Paper on: Dense Wavelength Division Multiplexing (DWDM) and the Dickson Grating, January 6, 2001, 9 pages.		
mc	C19	SCHILLING, M. et al., "Deformation-free overgrowth of reactive ion beam etched submicron structures in InP by liquid phase epitaxy," Appl. Phys. Lett. 49 (12), 22 September 1986		
mc	C20	SHAMS, MOHAMMAD KAZEM et al., Preferential Chemical Etching Of Blazed Gratings In (110)- Oriented GaAs, Optics Letters, March 1979, Vol. 4, No. 3, pges. 98-98.		
3	C21	SMITH, M.S.D. et al., Diffraction Gratings Utilizing Total Internal Reflection Facets in Littrow Configuration, IEEE Photonics Technology Letters, January 1, 1999, Vol. 11, No. 1, pgs. 84-86.		
8	C22	SUN, Z. J. et al., Demultiplexer with 120 channels and 0.29-nm Channel Spacing,* IEEE Photonics Technology Letters, Vol. 10, No. 1, January 1998	•	
8	C23	TANG, W. et al., "Electrostatically Balanced Comb Drive for Controlled Levitation," Reprinted from Technical Digest IEEE Solid-State Sensor and Actuator Workshop, June 1990; pp. 198-202		
MC	C24	TORCHEUX, L. et al., "Electrochemical Coupling Effects on the Corrosion of Silicon Samples in HF Solutions," J. Electrochem.Soc., Vol. 142, No. 6, June 1995		
mc	C25	Transducer Elements, Piezo Systems, Inc., Cambridge MA, Catalog #3, 1998, pgs. 30-45.		
mc	C26	Types and Characteristics of SDH Network Protection Architectures, International Telecommunication Union (ITU-T), Recommendation G.941 October, 1998, pgs. 1-132.		
mc	C27	VANKESSEL, P. et al., "A MEMS-Based Projection Display," Proceedings of the IEEE, Vol. 88, No. 8, August 1998; pp. 1687-1704		
mc	, C28	WONG, ARK-CHEW et al., Anneal-Activated, Tuneble, 68 MHz Micromechanical Filters, Center for Integrated Microsystems, Dept. of Electrical Engineering and Computer Science, University of Michigan, Ann Arbor, Michigan 48109, Transducers '99, June 7-10, 1999, pp. 1390-1393, Sendai, Japan		

Examiner Signature	Mille R Connell Eurle Considered	3/4/04
EVAMINED: 10:0	al if enforcement englishment whether a next the	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional).
Applicant is to place a check mark here if English language Translation is attached.